

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of providing shared objects and node-specific objects in a cluster file system, said method comprising:

creating a particular shared object;

at a point in time after said creation, providing to [a] said particular shared object an attribute that indicates any object created in said particular shared object ~~from this~~ after said point in time ~~will be~~ is designated as node-specific while any object existing in said particular shared object prior to said point in time ~~providing said attribute~~ maintains designation as shared; and

when a node causes a file system operation that is node-specific to be performed by accessing said particular shared object, performing said file system operation in an alternate directory corresponding to said node, wherein said alternate directory supports a node-specific object, wherein any object designated as shared in said particular shared object is available to a plurality of nodes, and wherein any object designated as node-specific in said particular shared object is available solely to a corresponding node of said nodes.

2. (Original) The method as recited in Claim 1 wherein said particular shared object is a container-type shared object.

3. (Original) The method as recited in Claim 1 wherein said particular shared object is a directory.

4. (Original) The method as recited in Claim 1 wherein said performing said file system operation in said alternate directory includes:

- associating a pointer with said particular shared object;
- using said pointer to point to a table having alternate directory information for each node;
- if said alternate directory information for said node indicates that said alternate directory has not been created, creating said alternate directory for said node and updating said table with a location of said alternate directory.

5. (Original) The method as recited in Claim 1 wherein said file system operation that is node-specific includes creating one of a node-specific file and a node-specific directory.

6. (Original) The method as recited in Claim 5 wherein said file system operation that is node-specific includes modifying one of said node-specific file and said node-specific directory.

7. (Original) The method as recited in Claim 5 wherein said file system operation that is node-specific includes deleting one of said node-specific file and said node-specific directory.

8. (Currently Amended) A computer-readable medium comprising computer-executable instructions stored therein for performing a method of providing shared objects and node-specific objects in a cluster file system, said method comprising:

creating a particular shared object;

at a point in time after said creation, providing to [a] said particular shared object an attribute that indicates any object created in said particular shared object ~~from this~~ after said point in time ~~will be~~ is designated as node-specific while any object existing in said particular shared object prior to said point in time ~~providing said attribute~~ maintains designation as shared; and

when a node causes a file system operation that is node-specific to be performed by accessing said particular shared object, performing said file system operation in an alternate directory corresponding to said node, wherein said alternate directory supports a node-specific object, wherein any object designated as shared in said particular shared object is available to a plurality of nodes, and wherein any object designated as node-specific in said particular shared object is available solely to a corresponding node of said nodes.

9. (Original) The computer-readable medium as recited in Claim 8 wherein said particular shared object is a container-type shared object.

10. (Original) The computer-readable medium as recited in Claim 8 wherein said particular shared object is a directory.

11. (Original) The computer-readable medium as recited in Claim 8 wherein said performing said file system operation in said alternate directory includes:

associating a pointer with said particular shared object;

using said pointer to point to a table having alternate directory information for each node;

if said alternate directory information for said node indicates that said alternate directory has not been created, creating said alternate directory for said node and updating said table with a location of said alternate directory.

12. (Original) The computer-readable medium as recited in Claim 8 wherein said file system operation that is node-specific includes creating one of a node-specific file and a node-specific directory.

13. (Original) The computer-readable medium as recited in Claim 12 wherein said file system operation that is node-specific includes modifying one of said node-specific file and said node-specific directory.

14. (Original) The computer-readable medium as recited in Claim 12 wherein said file system operation that is node-specific includes deleting one of said node-specific file and said node-specific directory.

15. (Currently Amended) A system comprising:
a cluster having a plurality of nodes;
a mass storage device coupled to said cluster; and
a cluster file system configured to create a shared object and to
automatically provide support for node-specific objects in [a] said shared object,
wherein at a point in time after creation of said shared object, said cluster file
system ~~is configured to provide~~ provides to said shared object an attribute that indicates
any object created in said shared object ~~from this~~ after said point in time ~~will be~~ is
designated as node-specific while any object existing in said shared object prior
to said point in time ~~providing said attribute~~ maintains designation as shared,
wherein any object designated as shared in said shared object is available to

said nodes, and wherein any object designated as node-specific in said shared object is available solely to a corresponding node of said nodes.

16. (Previously Presented) The system as recited in Claim 15 wherein when one of said nodes causes a file system operation that is node-specific to be performed by accessing said shared object, said cluster file system performs said file system operation in an alternate directory corresponding to said node, wherein said alternate directory supports a node-specific object.

17. (Previously Presented) The system as recited in Claim 16 wherein said cluster file system associates a pointer with said shared object, wherein said cluster file system uses said pointer to point to a table having alternate directory information for each node, and wherein if said alternate directory information for said node indicates that said alternate directory has not been created, said cluster file system creates said alternate directory for said node and updates said table with a location of said alternate directory.

18. (Original) The system as recited in Claim 16 wherein said file system operation that is node-specific includes creating one of a node-specific file and a node-specific directory.

19. (Original) The system as recited in Claim 18 wherein said file system operation that is node-specific includes modifying one of said node-specific file and said node-specific directory.

20. (Original) The system as recited in Claim 18 wherein said file system operation that is node-specific includes deleting one of said node-specific file and said node-specific directory.

21. (Previously Presented) The system as recited in Claim 15 wherein said shared object is a container-type shared object.

22. (Previously Presented) The system as recited in Claim 15 wherein said shared object is a directory.